+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P\_0058

1 of 1

## Watermelon Mimosa

Sample ID: SA-231019-28712 Batch: MDWMVAP-S3

Type: Finished Product - Inhalable

Matrix: Concentrate - Vape

Unit Mass (g):

Received: 11/07/2023 Completed: 11/09/2023 Client

Melee Dose 7250 S Durango Dr, Ste 130 #346 Las Vegas, NV 89113



Summary

Test Cannabinoids

**Date Tested** 11/09/2023

Status Tested

ND Total ∆9-THC

46.2 % (6aR,9R,10aR)-HHC 92.6 %

**Total Cannabinoids** 

**Not Tested** 

**Moisture Content** 

**Not Tested** 

Foreign Matter

Yes

Internal Standard Normalization

## Cannabinoids by HPLC-PDA and/or GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	12.2	122
CBCA	0.0181	0.0543	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	ND	ND
CBDA	0.0043	0.013	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBDVA	0.0021	0.0063	ND	ND
CBG	0.0057	0.0172	ND	ND
CBGA	0.0049	0.0147	ND	ND
CBL	0.0112	0.0335	ND	ND
CBLA	0.0124	0.0371	ND	ND
CBN	0.0056	0.0169	0.135	1.35
CBNA	0.006	0.0181	ND	ND
CBT	0.018	0.054	3.64	36.4
Δ8-ΤΗС	0.0104	0.0312	0.135	1.35
Δ9-ΤΗС	0.0076	0.0227	ND	ND
Δ9-ΤΗCΑ	0.0084	0.0251	ND	ND
Δ9-THCV	0.0069	0.0206	ND	ND
Δ9-THCVA	0.0062	0.0186	ND	ND
(6a R, 9 R, 10a R) - HHC	0.0067	0.02	46.2	462
(6a R,9S,10a R)-HHC	0.0067	0.02	30.3	303
Total Δ9-THC			ND	ND
Total			92.6	926

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit;  $\Delta$  = Delta; Total  $\Delta$ 9-THC =  $\Delta$ 9-THC4 \* 0.877 +  $\Delta$ 9-THC; Total CBD = CBDA \* 0.877 + CBD;

Generated By: Ryan Bellone

CCO Date: 11/09/2023 Tested By: Scott Caudill Laboratory Manager Date: 11/09/2023





ISO/IEC 17025:2017 Accredited Accreditation #108651



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories KCA Laboratories and provide measurement uncertainty upon request.