Harrens Lab Inc 3507 Breakwater Ave Hayward, CA 94545

(510) 887-8885 http://www.harrenslab.com Lic# C8-0000021-LIC DEA#: RH0490805

1 of 1

THCA Flower Super Silver Haze

Sample ID: HR20241090210

Strain: THCA Flower Super Silver Haze

Matrix: Plant

Type: Flower - Cured Sample Size: ; Batch:

Produced:

Collected: 09/30/2024 Received: 09/30/2024 Completed: 10/07/2024

Batch#: HH-THCA-SH-7038

Client

MELEE DOSE LLC

3652 N Rancho Dr, Unit 101 Las Vegas, NV 89130



Summary

Date Tested Result Batch Complete Cannabinoids 09/30/2024 Complete 09/30/2024 Moisture 13.63%

Complete Cannabinoids

13.98%

Total THC

ND

Total CBD

14.82%

Total Cannabinoids

Analyte	LOD	LOQ	Mass	Mass	
	mg/g	mg/g	%	mg/g	
THCa	0.20000	0.61000	15.62	156.21	
Δ9-THC	0.15000	0.45000	0.28	2.76	
Δ8-THC	0.14000	0.42000	110	ND	
THCV	0.15000	0.44000	ND	ND	
CBDa	0.10000	0.31000	ND	ND	
CBD	0.15000	0.45000	ND	ND	
CBN	0.16000	0.50000	ND	ND	
CBGa	0.29000	0.88000	0.97	9.66	
CBG	0.13000	0.39000	ND	ND	
CBC	0.14000	0.42000	ND	ND	
Total THC			13.98	139.76	
Total CBD			ND	ND	
Total			14.82	148.23	

Determination of Cannabinoids by HPLC, HL223 Total THC = Δ9-THCa * 0.877 + Δ9-THC Total CBD = CBDa * 0.877 + CBD

ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01. Cannabinoid Testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15724. Water activity testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15717.





Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

10/07/2024