

Harrens Lab Inc 3507 Breakwater Ave Hayward, CA 94545

(510) 887-8885 http://www.harrenslab.com Lic# C8-0000021-LIC DEA#: RH0490805

THCA Flower Sherbert

Sample ID: HR20241090165

Strain: THCA Flower Sherbert

Matrix: Plant Type: Flower - Cured

Sample Size: ; Batch:

Produced:

Collected: 10/04/2024

Received: 10/04/2024

Completed: 10/09/2024 Batch#: HH-THCA-SB-7046 Client

H H Harvest CO

Lic.#

249 E Barnett Rd, Suite 110

Medford, OR 97501



Summary

Test **Date Tested** Result

Batch

Complete 10/07/2024 Cannabinoids Complete Moisture 10/07/2024 10.30%

Cannabinoids Complete

18.57%			ND		18.57%
Total THC			Total CBD		Total Cannabinoids
Analyte	LOD	LOQ	Mass	Mass	
	mg/g	mg/g	%	mg/g	
THCa	0.20000	0.61000	20.84	208.36	
Δ9-THC Δ8-THC	0.15000 0.14000	0.45000 0.42000	0.29 ND	2.94 ND	abulatur
THCV	0.14000	0.44000	ND ND	ND ND	
CBDa	0.10000	0.31000	ND	ND	
CBD	0.15000	0.45000	ND	ND	
CBN	0.16000	0.50000	ND	ND	
CBG	0.13000	0.39000	ND	ND	
CBC	0.14000	0.42000	ND	ND	
Total THC			18.57	185.67	
Total CBD			ND	ND	
Total			18.57	185.67	

Determination of Cannabinoids by HPLC, HL223

Total THC = $\Delta 9$ -THC3 * $0.877 + \Delta 9$ -THC

Total CBD = CBDa * $0.877 + \Delta 9$ -THC

ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01. Cannabinoid Testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15724. Water activity testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15717.





Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity; Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.